

# Rogowiec dłoni i stóp – odmiana epidermolytyczna

## Kod Orpha: 2199 Kod OMIM: 144200

### Opis choroby \*

#### Definicja

A rare, non-syndromic, hereditary palmoplantar keratoderma characterized by diffuse, yellowish, thick hyperkeratosis of the palms and soles with a sharp demarcation at the volar border and an erythematous margin, and the epidermolytic pattern of changes on the skin biopsy, including perinuclear vacuolization, granular degeneration of keratinocytes in the spinous and granular layer, and tonofilament aggregates. Painful fissures and hyperhidrosis are frequently associated.

#### Dane

#### Klasyfikacja

Choroba

#### Synonimy

Diffuse erythrodermic palmoplantar keratoderma, Voerner type  
Epidermolytyczny rogowiec dłoni i stóp  
Voerner  
Epidermolytyczny rogowiec dłoni i stóp  
Vörnera  
EPPK  
Rozlany erythrodermalny rogowiec dłoni i stóp, typu Voerner  
Rozlany erythrodermalny rogowiec dłoni i stóp, typu Vörnera  
Diffuse erythrodermic palmoplantar keratoderma, Vörner type  
EPPK  
Epidermolytic palmoplantar keratoderma of Voerner  
Epidermolytic palmoplantar keratoderma of Vörner

#### Kod ORPHA

2199

#### Kod OMIM

144200

#### Kod ICD10

Q82.8

#### Kod ICD11

EC20.30

---

\*Źródło

orphanet

## **Rozszerzony opis choroby**

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

**Orphanet** - internetowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -  
Dostępna na stronie [www.orphanet.pl](http://www.orphanet.pl)