

# Rogowiec dloni i stop – odmiana epidermolityczna

## Kod Orpha: 2199 Kod OMIM: 144200

### Opis choroby \*

#### Definicja

A rare, non-syndromic, hereditary palmoplantar keratoderma characterized by diffuse, yellowish, thick hyperkeratosis of the palms and soles with a sharp demarcation at the volar border and an erythematous margin, and the epidermolytic pattern of changes on the skin biopsy, including perinuclear vacuolization, granular degeneration of keratinocytes in the spinous and granular layer, and tonofilament aggregates. Painful fissures and hyperhidrosis are frequently associated.

#### Dane

Klasyfikacja	Synonimy
Choroba	Diffuse erythrodermic palmoplantar keratoderma, Voerner type
	Epidermolyticzny rogowiec dloni i stop Voerner
	Epidermolyticzny rogowiec dloni i stop Vörnera
	EPPK
	Rozlany erytrodermalny rogowiec dloni i stop, typu Voernera
	Rozlany erytrodermalny rogowiec dloni i stop, typu Vörnera
	Diffuse erythrodermic palmoplantar keratoderma, Vörner type
	EPPK
	Epidermolytic palmoplantar keratoderma of Voerner
	Epidermolytic palmoplantar keratoderma of Vörner

Kod ORPHA  
2199

Kod OMIM  
144200

Kod ICD10  
Q82.8

Kod ICD11  
EC20.30

---

\*Źródło

orphanet

## **Rozszerzony opis choroby**

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

**Orphanet** - internetowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -  
Dostępna na stronie [www.orphanet.pl](http://www.orphanet.pl)