

# Lipodystrofia odśrodkowa

## Kod Orpha: 90156 Kod OMIM:

### Opis choroby \*

#### Definicja

Centrifugal lipodystrophy is a rare, acquired, localized lipodystrophy characterized by single or, occasionally, multiple, centrifugally progressive, asymptomatic to sometimes mildly tender, hypopigmented, lipoatrophic skin depressions with weakly erythematous inflammatory borders, typically associated with regional ipsilateral lymph nodes swelling. Lesions typically occur on lower trunk (in particular groin and abdomen region), followed by upper trunk (axilla and neighboring regions) and, rarely, neck and head. It is usually not associated with systemic disease and is typically self-resolving.

#### Dane

#### Klasyfikacja

Choroba

#### Synonimy

Lipodystrophia centrifugalis abdominalis  
infantilis  
Lipodystrophia centrifugalis abdominalis  
infantilis

#### Kod ORPHA

90156

#### Kod OMIM

-

#### Kod ICD10

E88.1

#### Kod ICD11

EF01.1

---

[\\*Źródło](#)

orphanet

### Rozszerzony opis choroby

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

**Orphanet** - internetowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -  
Dostępna na stronie [www.orphanet.pl](http://www.orphanet.pl)