

Pozawęzłowy chłoniak z komórek NK/T typu nosowego

Kod Orpha: 86879 Kod OMIM:

Opis choroby *

Definicja

Extranodal nasal NK/T cell lymphoma (NKTCL) is a rare, malignant neoplasm mainly affecting men in the fifth decade of life, that usually arises in the nose, paranasal sinuses, orbits or upper airway, and that can present with a nasal mass, nasal bleeding, nasal obstruction, palate perforation (i.e. midline perforation of the hard palate), and mid-facial and/or upper airway destructive lesions. In advanced disease stages, which are associated with a poor prognosis, NKTCL may disseminate to other organs. A few cases of NKTCL presenting primarily in the lymph nodes have also been described.

Dane

Klasyfikacja

Choroba

Synonimy

Angiocentric T-cell lymphoma
Angiocentryczny chłoniak z komórek T
Chłoniak z komórek NK/T
NKTCL
Nosowy chłoniak z komórek T/NK
Ziarniniak pośrodkowy
Lethal midline granuloma
NK/T-cell lymphoma
NKTCL
Nasal T/natural killer-cell lymphoma

Kod ORPHA

86879

Kod OMIM

-

Kod ICD10

C86.0

Kod ICD11

2A90.6

[*Źródło](#)

orphanet

Rozszerzony opis choroby

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

Orphanet - internetowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -
Dostępna na stronie www.orphanet.pl