

Torbiel przewodu nosowo-łzowego

Kod Orpha: 141083 Kod OMIM:

Opis choroby *

Definicja

Nasolacrimal duct cyst describes a unilateral or bilateral congenital cyst of the nasolacrimal duct, which is almost always associated with dacryocystocele, presenting most commonly at birth or a few weeks of age (but rarely presenting in adulthood) as a benign, grayish blue mass in the inferomedial canthus or in the nasal cavity, that can cause epiphora, dacryocystitis (inflammation of the lacrimal sac) and nasal obstruction. It is more commonly reported in females.

Dane

Klasyfikacja	Synonimy
Wada morfologiczna	Dacryocele
	Torbiel worka łzowego
	Wrodzona torbiel śluzowa przewodu nosowo-łzowego
	Dacryocystocele
	Nasolacrimal mucocele

Kod ORPHA	Kod OMIM	Kod ICD10
141083	-	H04.6

Kod ICD11
LA14.12

[*Źródło](#)

orphanet

Rozszerzony opis choroby

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

Orphanet - interntowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -
Dostępna na stronie www.orphanet.pl