

Płodowy zespół hydantoinowy

Kod Orpha: 1912 Kod OMIM:

Opis choroby *

Definicja

A drug-related embryofetopathy that can occur when an embryo/fetus is exposed to the anticonvulsant drug phenytoin, characterized by distinct craniofacial anomalies (hypertelorism and epicanthal folds, short nose and deep nasal bridge, malformed and low set ears, short neck) as well as hypoplastic distal phalanges and underdevelopment of nails of fingers and toes, prenatal and postnatal growth retardation, and neurological impairment (at a 2-3 times higher risk than that of the general population) including cognitive deficits and motor developmental delay. Less commonly, microcephaly, ocular defects, oral clefts, umbilical and inguinal hernias, hypospadias and cardiac anomalies have also been reported.

Dane

Klasyfikacja

Zespół wad
wrodzonych

Synonimy

Fetal dihydantoin syndrome
Embriofetopatia hydantoinowa
Phenytoin embryofetopathy

Kod ORPHA
1912

Kod OMIM

Kod ICD10
Q86.1

Kod ICD11
LA07.1

*[Źródło](#)

orphanet

Rozszerzony opis choroby

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

Orphanet - interntowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -
Dostępna na stronie www.orphanet.pl