

Płodowy zespół minoksydylowy

Kod Orpha: 1918 Kod OMIM:

Opis choroby *

Definicja

Fetal minoxidil syndrome is characterized by a group of symptoms that may be observed in a fetus or newborn when the mother has taken minoxidil during pregnancy. Minoxidil is used in the treatment of malignant renal hypertension and as a topical solution to induce scalp hair growth. Hypertrichosis that gradually diminishes during the first six postnatal months has been reported. Additional reported features include cardiac (congenital great vessel transposition and pulmonary valve stenosis), neurodevelopmental (caudal regression sequence) (see these terms), gastrointestinal, renal, and limb malformations. Conclusive studies are however not available.

Dane

Klasyfikacja

Zespół wad wrodzonych

Synonimy

Minoxidil antenatal infection
Minoxidil antenatal exposure

Kod ORPHA

1918

Kod OMIM

-

Kod ICD10

Q86.8

Kod ICD11

LD2F.0Y

[*Źródło](#)

orphanet

Rozszerzony opis choroby

Brak opisu rozszerzonego dla tej choroby. Opracowanie w toku.

Orphanet - internetowa baza danych dotyczących rzadkich chorób i sierochych leków. ©INSERM 1999 -
Dostępna na stronie www.orphanet.pl